

DHY 308 New generation laser target designator



DESIGNED FOR LAND COMBAT

- Compliant with nato and non-nato laser-guided weapons
- Light weight and long distance designation capable
- Athermal diode pumped laser
- No warm up needed
- Compliant with stanag 3733
- Designed for simplified export control

LASER TARGET DESIGNATOR

DHY 308 LIGHTWEIGHT AND PRECISE

Main modules

- Designation/Range finder unit
- Pan & Tilt head
- Battery
- Remote control unit
- Digital Magnetic Compass (DMC) in option
- GPS in option

Validated integrations with

- Hand-Held Thermal Imagers (HHTI)
- Target locators
- Digital Aided Close Air Support (DACAS)
- Fire-Control Systems (FCS)

Accessories

• Ask for CILAS wide portfolio

MAIN USERS:

- Joint Terminal Air Controllers (JTACs)
- Forward Air Controllers (FAC)
- Special Forces (SF)
- Artillery Observers (AO)

<section-header><section-header>

GENERAL PARAMETERSILLUMINATOR WEIGHT
WITH BATTERY< 4 kg</td>OPERATING
TEMPERATURE-21°C to +49°C

EQUIPMENT

IN SERVICE

IN SEVERAL COUNTRIES

DESIGNATION PARAMETERS	
OUTPUT ENERGY	> 80 mJ
BEAM DIVERGENCE	< 0,35 mrad
RANGE	10 km on buildings 5 km on OTAN targets

LASER RANGE FINDER PARAMETERS	
DISTANCE	20 km
EXTINCTION RATE	> 37 dB

CONTACT

Email: info.defence@cilas.com Phone: +33 2 38 64 40 67 LinkedIn : @CILAS CILAS 8, avenue Buffon 45100 Orléans – France

www.cilas.com